

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FILING DATE FIRST NAMED INVENTOR		CONFIRMATION NO.	
10/045,565	10/19/2001	Mehran Bashiri	1001.1504101	1828	
28075	7590 09/26/2003				
CROMPTON	I, SEAGER & TUFTI	EXAMINER			
1221 NICOLL SUITE 800			WOO, JULIAN W		
MINNEAPOL	JIS, MN 55403-2420		ART UNIT	PAPER NUMBER	
			3731		
			DATE MAILED: 09/26/2003)	

Please find below and/or attached an Office communication concerning this application or proceeding.

_		Application	No.	Applicant(s)			
\		10/045,565		BASHIRI ET AL.			
}	Office Action Summary	Examiner		Art Unit			
		Julian W. W	00	3731			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply sepecified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). - Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).							
Status 1)⊠							
2a)[Responsive to communication(s) filed on <u>11 March 2003</u> . This action is FINAL . 2b)⊠ This action is non-final.						
3)□	· · · · · · · · · · · · · · · · · · ·						
closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213. Disposition of Claims							
4)⊠ Claim(s) <u>1-29</u> is/are pending in the application.							
,	4a) Of the above claim(s) is/are withdrawn from consideration.						
5)[Claim(s) is/are allowed.						
6)⊠	Claim(s) <u>1-29</u> is/are rejected.						
7)□	Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/or election requirement.							
	ition Papers						
9) The specification is objected to by the Examiner.							
10)∟	The drawing(s) filed on is/are: a)□ accep						
44)	Applicant may not request that any objection to the		-				
11) The proposed drawing correction filed on is: a) approved b) disapproved by the Examiner.							
If approved, corrected drawings are required in reply to this Office action. 12) The oath or declaration is objected to by the Examiner.							
Priority under 35 U.S.C. §§ 119 and 120							
13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).							
a) ☐ All b) ☐ Some * c) ☐ None of:							
1.☐ Certified copies of the priority documents have been received.							
	2. Certified copies of the priority documents have been received in Application No						
	3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).						
*	* See the attached detailed Office action for a list of the certified copies not received.						
14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).							
 a) ☐ The translation of the foreign language provisional application has been received. 15)☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. 							
Attachment(s)							
2) No	tice of References Cited (PTO-892) tice of Draftsperson's Patent Drawing Review (PTO-948) ormation Disclosure Statement(s) (PTO-1449) Paper No(s) <u>2.</u>	:		(PTO-413) Paper No(s) Patent Application (PTO-152)			

Application/Control Number: 10/045,565 Page 2

Art Unit: 3731

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

2. Claims 1-10, 12-25, 27, and 28 are rejected under 35 U.S.C. 102(b) as being anticipated by Patterson et al. (5,941,869). Patterson et al. disclose, in figures 30-32 and in col. 24, line 38 to col. 25, line 15, an embolus extractor and a method of withdrawing an embolus extractor, where the extractor has an elongate shaft (56), first and second metal or radiopaque struts (96), a sleeve (distal of 96), a third strut (98, or a second strut with respect to claim 27, where the strut has a transverse cross-sectional area less than the cross-sectional area of the first strut), and a microcatheter (99); and where the distal and proximal ends of the first and second struts are spaced at a first distance in a first position (see fig. 30) and at a lesser, second distance in a second position (see fig. 31). In the first position, the struts are disposed generally parallel to and adjacent the shaft. In the second position, the struts define a generally circular mouth and a distally tapering body and extend from the shaft at an angle between 45 degrees to 90 degrees.

Claim Rejections - 35 USC § 103

3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 3731

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- Considering objective evidence present in the application indicating obviousness or nonobviousness.
- 4. Claims 11 and 26 rejected under 35 U.S.C. 103(a) as being unpatentable over Patterson et al. in view of Gibbs et al. (5,330,482). Patterson et al. disclose the invention substantially as claimed, but do not disclose NiTi alloy as the shape memory metal for the struts. Gibbs et al. teach, in col. 3, lines 17-22, an embolus extractor with NiTi alloy struts. It would have bee obvious to one having ordinary skill in the art at the time the invention was made, in view of Gibbs et al., to apply a NiTi alloy to the struts of Patterson et al. Such a material not only has a shape memory, it is biocompatible and strong.
- 5. Claim 29 rejected under 35 U.S.C. 103(a) as being unpatentable over Patterson et al. in view of Ladd (6,059,814). Patterson et al. disclose the invention substantially as claimed, but do not disclose radiopaque markers on the microcatheter and the embolus extractor. Ladd teaches, in col 6, line 66 to col.7, line 8, radiopaque markers on a microcatheter and an embolus extractor. It would have been obvious to one having ordinary skill in the art at the time the invention was made, in view of Ladd, to

Application/Control Number: 10/045,565

Art Unit: 3731

include radiopaque markers on the invention of Patterson et al. Such markers would allow location of the device within a patient's body

Conclusion

Page 4

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Julian W. Woo whose telephone number is (703) 308-0421. The examiner can normally be reached Mon.-Fri., 7:00 AM to 3:00 PM Eastern Time, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael J. Milano can be reached at (703) 308-2496.

General inquiries relating to the status of this application should be directed to the Group receptionist at (703) 308-0858. The official FAX number is (703) 872-9302.

Julian W. Woo Primary Examiner

Julian W. Moo

September 22, 2003